



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

 998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

EN131



SGS



BUFFALO AMERICAN LADDERS



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

FIBERGLASS PLATFORM LADDER



MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC
FP-03	3	30	56	157	10.5	0.124
FP-04	4	30	60	187	11.8	0.154
FP-05	5	30	64	217	13.3	0.186
FP-06	6	30	68	247	15	0.219
FP-07	7	30	72	277	16.9	0.255

MAX LOAD

150kgs

SPACING BETWEEN STEPS

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46




TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

FIBERGLASS THREE SECTION EXTENSION LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	CLOSED LENGTH	WEIGHT/ PC (kg)	CBM/PC	PACKING
FWI-08	3*8	30	45	720	250	22	0.236	PE FILM+ PARTIAL CARTON
FWI-10	3*10	30	45	900	310	24.5	0.293	
FWI-12	3*12	30	45	1080	370	29	0.350	
FWI-14	3*14	30	45	1260	430	33	0.406	
FWI-16	3*16	30	45	1440	490	37	0.463	
FWI-18	3*18	30	45	1620	550	41.7	0.520	

MAX LOAD

150kgs

SPACING BETWEEN STEPS

30cm



v Guillermo Dansey 636 A. Cercado de Lima. Lima

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

FIBERGLASS TWO SECTION EXTENSION LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	CLOSED LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING
WI-08	2*8	30	45	480	250	14.15	0.188	PE FILM+ PARTIAL CARTON
WI-10	2*10	30	45	600	310	17.16	0.231	
WI-12	2*12	30	45	720	370	19.87	0.274	
WI-14	2*14	30	45	840	430	23.15	0.318	
WI-16	2*16	30	45	960	490	25.98	0.361	
WI-18	2*18	30	45	1080	550	28.48	0.390	
WI-20	2*20	30	45	1200	610	31.47	0.433	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

FIBERGLASS DOUBLE FOLDING LADDER

MODEL	STEP NO.	A SHAPE SPAN (cm)	LADDER WIDTH (cm)	A LADDER HEIGHT	STRAIGHT HEIGHT	WEIGHT/ PC (kg)	CBM/PC
WE-405	4+5	96	52	150	240	9.8	0.129
WE-506	5+6	110	56	180	300	11.5	0.161
WE-607	6+7	128	60	210	360	15.9	0.196
WE-708	7+8	146	64	240	420	17.3	0.232

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com


Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

HEAVY DUTY FIBERGLASS DOUBLE SIDE A FRAME LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING
WGH-03	2*3	30	44	90	7.60	0.069	PEFILM+ PARTIAL CARTON
WGH-04	2*4	30	48	120	9.45	0.098	
WGH-05	2*5	30	52	150	11.10	0.129	
WGH-06	2*6	30	56	180	12.70	0.161	
WGH-07	2*7	30	60	210	14.50	0.196	
WGH-08	2*8	30	64	240	17.00	0.231	
WGH-09	2*9	30	68	270	19.50	0.270	
WGH-10	2*10	30	72	300	21.75	0.312	
WGH-11	2*11	30	76	330	24.25	0.356	
WGH-12	2*12	30	80	360	26.30	0.403	
WGH-13	2*13	30	84	390	28.45	0.452	
WGH-14	2*14	30	88	420	30.85	0.468	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

STANDARD FIBERGLASS DOUBLE SIDE A FRAME LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WG-03	2*3	30	44	90	5.8	0.069	PEFILM+ PARTIAL CARTON
WG-04	2*4	30	48	120	7.6	0.098	
WG-05	2*5	30	52	150	9.2	0.129	
WG-06	2*6	30	56	180	10.8	0.161	
WG-07	2*7	30	60	210	12	0.196	
WG-08	2*8	30	64	240	13.4	0.231	
WG-09	2*9	30	68	270	16	0.270	
WG-10	2*10	30	72	300	18.75	0.312	

MAX LOAD

150kgs

SPACING BETWEEN STEPS

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



SGS



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

FIBERGLASS SINGLE SIDE A FRAME LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING
FY-03	3	30	44	90	4.4	0.045	PEFILM+ PARTIAL CARTON
FY-04	4	30	48	120	5	0.063	
FY-05	5	30	52	150	6.3	0.083	
FY-06	6	30	56	180	7.7	0.104	
FY-07	7	30	60	210	8.5	0.127	
FY-08	8	30	64	240	9.7	0.151	
FY-09	9	30	68	270	11.2	0.177	
FY-10	10	30	72	300	12.6	0.205	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

FIBERGLASS MULTI-PURPOSE LADDER



MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC
WF-403	4*3	28	37	352	14.85	0.1
WF-404	4*4	28	37	464	16.95	0.127
WF-405	4*5	28	37	575	18.75	0.156
WF-406	4*6	28	37	685	21.20	0.184
WF-407	4*7	28	37	794	23.28	0.212

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

28cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.




BUFFALO AMERICAN LADDERS

EN131



SGS



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

FIBERGLASS SINGLE STRAIGHT LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING
WY-08	8	30	45	242	7.4	0.087	PEFILM+ PARTIAL CARTON
WY-10	10	30	45	302	8.85	0.109	
WY-12	12	30	45	362	9.95	0.13	
WY-14	14	30	45	422	11.35	0.152	
WY-16	16	30	45	482	11.95	0.174	
WY-18	18	30	45	542	12.98	0.197	
WY-20	20	30	45	602	14.04	0.221	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.




BUFFALO AMERICAN LADDERS

EN131



SGS



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

ALUMINIUM TELESCOPIC STRAIGHT LADDER

Model No.	Extend Length	Steps No.	Stsp Distance	Weight/ Pcs	Packing Size	40HQ Loading
TS-07	2.0m	7	30cm	5.8KG	70x46x7cm	3100pcs
TS-09	2.6m	9	30cm	6.9KG	76x47x8cm	2450pcs
TS-10	2.9m	10	30cm	8.1KG	77x47x8cm	2410pcs
TS-11	3.2m	11	30cm	9.1KG	82x48x9cm	1970pcs
TS-13	3.8m	13	30cm	11.0KG	88x49x10cm	1620pcs
TS-14	4.1m	14	30cm	12.2KG	93x49x10cm	1540pcs
TS-15	4.4m	15	30cm	12.8KG	94x49x10cm	1520pcs

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

MULTIPURPOSE ALUMINIUM TELESCOPIC LADDER

Model	Steps No.	Step Distance	Weight/ Pcs	Full Length	40HQ Loading	CBM/CTN
TM-205	2X5	30cm	12.1KG	3.2m	1029pcs	0.068
TM-206	2X6	30cm	14.2KG	3.8m	1000pcs	0.07
TM-207	2X7	30cm	16.2KG	4.4m	909pcs	0.077
TM-208	2X8	30cm	18.5KG	5.0m	777pcs	0.09
TM-209	2X9	30cm	20.5KG	5.6m	752pcs	0.093

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



SGS



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

ALUMINIUM EQUILATERAL TELESCOPIC LADDER


Model No.	Steps No.	Extend Length (cm)	Ladder Width (cm)	Step Distance (cm)	Weight Pcs (kg)	CBM/CTN	PACKING
TA-77	7+7	2.0+2.0	46	30	10.1	0.048	CARTON PACKING
TA-99	9+9	2.6+2.6	46	30	13.7	0.055	
TA-1010	10+10	2.9+2.9	47	30	15.6	0.061	
TA-1111	11+11	3.2+3.2	47	30	18.3	0.068	
TA-1313	13+13	3.8+3.8	48	30	22.7	0.073	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



SGS



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

ALUMINIUM PLATFORM LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC
AP-03	3	30	65	183	12.3	0.19
AP-04	4	30	69	212	13.6	0.23
AP-05	5	30	73	241	15.1	0.27
AP-06	6	30	77	270	16.6	0.31
AP-07	7	30	81	299	17.9	0.34

MAX LOAD

150kgs

SPACING BETWEEN STEPS

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

HEAVY DUTY ALUMINIUM DOUBLE SIDE A FRAME LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING
AD-03	2*3	30	44	92	5.4	0.069	PEFILM+ PARTIAL CARTON
AD-04	2*4	30	48	123	6.47	0.098	
AD-05	2*5	30	52	153	7.5	0.129	
AD-06	2*6	30	56	183	8.55	0.161	
AD-07	2*7	30	60	213	9.6	0.196	
AD-08	2*8	30	64	243	11.05	0.231	
AD-09	2*9	30	68	273	13.15	0.270	
AD-10	2*10	30	72	303	15.35	0.312	
AD-11	2*11	30	76	333	17.85	0.452	
AD-12	2*12	30	80	363	20.68	0.468	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



- LOW MOQ
- ONE YEAR WARRANTY
- GOOD QUALITY
- FAST DELIVERY

ALUMINIUM DOUBLE SIDE LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT (kg)	CBM/PC	PACKING
WW-03	2*3	25	40	75	3.2	0.038	PE FILM
WW-04	2*4	25	43	100	4	0.051	
WW-05	2*5	25	46	125	4.9	0.068	
WW-06	2*6	25	49	150	5.6	0.084	
WW-07	2*7	25	52	175	6.5	0.102	
WW-08	2*8	25	55	200	7.2	0.12	
WW-09	2*9	25	58	225	8.1	0.14	
WW-10	2*10	25	61	250	8.9	0.161	
WW-11	2*11	25	64	275	10	0.182	
WW-12	2*12	25	67	300	10.8	0.205	
WW-13	2*13	25	70	325	11.6	0.229	
WW-14	2*14	25	73	350	12.4	0.254	
WW-15	2*15	25	76	375	13.4	0.28	
WW-16	2*16	25	79	400	14.4	0.307	
WW-18	2*18	25	85	450	16.7	0.364	
WW-20	2*20	25	91	500	19.2	0.425	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

25cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



► LOW MOQ

► GOOD QUALITY

► ONE YEAR WARRANTY

► FAST DELIVERY

ALUMINIUM SINGLE SIDE A FRAME LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WA-03	3	30	44	93	3.70	0.054	PEFILM+ PARTIAL CARTON
WA-04	4	30	48	123	4.30	0.075	
WA-05	5	30	52	153	5.15	0.098	
WA-06	6	30	56	183	6.10	0.122	
WA-07	7	30	60	213	7.05	0.149	
WA-08	8	30	64	243	8.81	0.177	
WA-09	9	30	68	273	9.54	0.207	
WA-10	10	30	72	303	10.23	0.239	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



WXH SERIES



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

HEAVY DUTY ALUMINIUM I TYPE TWO SECTION EXTENSION LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WXH-08	2*8	30	45	480	15.00	0.164	PEFILM+ PARTIAL CARTON
WXH-09	2*10	30	45	600	18.00	0.202	
WXH-12	2*12	30	45	720	20.90	0.239	
WXH-14	2*14	30	45	840	24.00	0.277	
WXH-16	2*16	30	45	960	26.85	0.315	
WXH-18	2*18	30	45	1080	30.00	0.353	
WXH-20	2*20	30	45	1200	33.50	0.391	

ALUMINIUM I TYPE TWO SECTION EXTENSION LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC
WX-08	2*8	30	45	480	11.80	0.164
WX-10	2*10	30	45	600	13.40	0.202
WX-12	2*12	30	45	720	16.10	0.239

MAX LOAD

150kgs

SPACING BETWEEN STEPS

30cm



WX-SERIES

Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe


Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



- LOW MOQ
- ONE YEAR WARRANTY

- GOOD QUALITY
- FAST DELIVERY

ALUMINIUM I TYPE TWO SECTION EXTENSION LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WT-08	2*8	30	45	480	11.70	0.164	PEFILM+ PARTIAL CARTON
WT-10	2*10	30	45	600	15.15	0.202	
WT-12	2*12	30	45	720	17.60	0.239	
WT-14	2*14	30	45	840	21.50	0.277	
WT-16	2*16	30	45	960	24.00	0.315	
WT-18	2*18	30	45	1080	26.90	0.353	
WT-20	2*20	30	45	1200	27.65	0.391	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46





TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

28CM STEP DISTANCE ALUMINIUM TWO SECTION COMBINATION LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WO-206	2*6	28	45	336	5.7	0.094	PEFILM+ PARTIAL CARTON
WO-207	2*7	28	45	392	6.4	0.109	
WO-208	2*8	28	45	448	6.9	0.125	
WO-209	2*9	28	45	504	7.5	0.140	
WO-210	2*10	28	45	560	7.9	0.156	
WO-211	2*11	28	45	616	8.4	0.166	
WO-212	2*12	28	45	672	9.4	0.187	
WO-213	2*13	28	45	728	10.9	0.202	
WO-214	2*14	28	45	784	11.6	0.218	
WO-215	2*15	28	45	840	12.5	0.233	
WO-216	2*16	28	45	896	13.1	0.248	
WO-217	2*17	28	45	952	14.4	0.264	
WO-218	2*18	28	45	1008	15.2	0.279	
WO-219	2*19	28	45	1064	16.1	0.295	
WO-220	2*20	28	45	1120	17.4	0.310	

MAX LOAD

150kgs

SPACING BETWEEN STEPS

28cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe


Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



- LOW MOQ
- ONE YEAR WARRANTY
- GOOD QUALITY
- FAST DELIVERY

25CM STEP DISTANCE ALUMINIUM TWO SECTION COMBINATION LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WOS-206	2*6	25	45	300	5.6	0.084	PEFILM+ PARTIAL CARTON
WOS-207	2*7	25	45	350	6.25	0.098	
WOS-208	2*8	25	45	400	6.95	0.122	
WOS-209	2*9	25	45	450	7.7	0.125	
WOS-210	2*10	25	45	500	8.3	0.139	
WOS-211	2*11	25	45	550	8.85	0.153	
WOS-212	2*12	25	45	600	9.95	0.167	
WOS-213	2*13	25	45	650	10.1	0.181	
WOS-214	2*14	25	45	700	10.7	0.194	
WOS-215	2*15	25	45	750	11.5	0.208	
WOS-216	2*16	25	45	800	12	0.222	
WOS-217	2*17	25	45	850	12.7	0.236	
WOS-218	2*18	25	45	900	13.4	0.250	
WOS-219	2*19	25	45	950	14.1	0.263	
WOS-220	2*20	25	45	1000	14.6	0.279	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

25cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46




TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

HEAVY DUTY ALUMINIUM TWO SECTION COMBINATION LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WZ-212	2*12	30	45	720	15.6	0.249	PEFILM+ PARTIAL CARTON
WZ-213	2*14	30	45	840	17.3	0.291	
WZ-214	2*16	30	45	960	20.1	0.332	
WZ-215	2*18	30	45	1080	21.86	0.373	
WZ-216	2*20	30	45	1200	24.25	0.415	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46




TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

28CM STEP DISTANCE ALUMINIUM THREE SECTION COMBINATION LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING
WM-306	3*6	28	45	504	8.7	0.133	PEFILM+ PARTIAL CARTON
WM-307	3*7	28	45	588	10.2	0.155	
WM-308	3*8	28	45	672	11.5	0.177	
WM-309	3*9	28	45	756	12.8	0.199	
WM-310	3*10	28	45	840	14.1	0.221	
WM-311	3*11	28	45	924	14.9	0.242	
WM-312	3*12	28	45	1008	16.1	0.264	
WM-313	3*13	28	45	1092	17.4	0.286	
WM-314	3*14	28	45	1176	18.6	0.308	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

28cm






TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

25CM STEP DISTANCE ALUMINIUM THREE SECTION COMBINATION LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WMS-306	3*6	25	45	450	7.75	0.119	PEFILM+ PARTIAL CARTON
WMS-307	3*7	25	45	525	8.85	0.138	
WMS-308	3*8	25	45	600	9.8	0.158	
WMS-309	3*9	25	45	675	11.05	0.178	
WMS-310	3*10	25	45	750	11.7	0.197	
WMS-311	3*11	25	45	825	12.65	0.217	
WMS-312	3*12	25	45	900	13.55	0.236	
WMS-313	3*13	25	45	975	14.5	0.256	
WMS-314	3*14	25	45	1050	15.3	0.275	
WMS-315	3*15	25	45	1125	16.6	0.295	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

25cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

HEAVY DUTY ALUMINIUM THREE SECTION COMBINATION LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WMH-312	3*12	30	45	1080	22.4	0.382	PEFILM+ PARTIAL CARTON
WMH-314	3*14	30	45	1260	25.55	0.445	
WMH-316	3*16	30	45	1440	27.9	0.509	
WMH-318	3*18	30	45	1620	31.7	0.572	
WMH-320	3*20	30	45	1800	36	0.636	

MAX LOAD

150kgs

SPACING BETWEEN STEPS

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



► LOW MOQ

► ONE YEAR WARRANTY

► GOOD QUALITY

► FAST DELIVERY

ALUMINIUM SINGLE STRAIGHT LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING
WH-08	8	30	45	240	4.95	0.089	PEFILM+ PARTIAL CARTON
WH-09	9	30	45	270	5.35	0.101	
WH-10	10	30	45	300	5.75	0.112	
WH-11	11	30	45	330	6.23	0.123	
WH-12	12	30	45	360	6.7	0.134	
WH-13	13	30	45	390	7.13	0.145	
WH-14	14	30	45	420	7.55	0.156	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe



Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.

BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

ALUMINIUM MULTIPURPOSE LADDER WITH BIG HINGE


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WC-403	4*3	28	37	352	12.15	0.089	CARTON PACKING
WC-404	4*4	28	37	464	13.50	0.114	
WC-405	4*5	28	37	575	15.10	0.139	
WC-406	4*6	28	37	685	16.25	0.164	

MAX LOAD

150kgs

SPACING BETWEEN STEPS

28cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



WD SERIES



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

ALUMINIUM MULTIPURPOSE LADDER WITH SMALL HINGE

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WD-403	4*3	28	37	356	11.35	0.1	CARTON PACKING
WD-404	4*4	28	37	468	12.50	0.129	
WD-405	4*5	28	37	581	13.15	0.157	
WD-406	4*6	28	37	691	16.10	0.185	

LIGHT DUTY ALUMINIUM MULTIPURPOSE LADDER WITH SMALL HINGE

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WDL-402	4*2	28	37	243	9.55	0.07	CARTON PACKING
WDL-403	4*3	28	37	356	10.70	0.1	
WDL-404	4*4	28	37	468	11.85	0.129	
WDL-405	4*5	28	37	581	13.25	0.157	

WDL SERIES

MAX LOAD

150kgs

SPACING BETWEEN STEPS

28cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mail: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

ALUMINIUM ORCHARD LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER BASE WIDTH (cm)	FULL LENGTH (cm)	WEIGHT (kg)	CBM	PACKING
OL-04	4	30	80	120	5.89	0.083	PE FILM PACKING
OL-06	6	30	90	180	8.29	0.137	
OL-08	8	30	100	240	10.63	0.184	
OL-09	9	30	110	270	12.59	0.268	
OL-10	10	30	110	300	13.68	0.295	
OL-11	11	30	120	330	15.16	0.345	
OL-13	13	30	130	390	17.94	0.430	
OL-16	16	30	140	480	21.32	0.523	

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

30cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46




TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

ALUMINIUM HOUSEHOLD LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/PC (kg)	CBM/PC	PACKING	40HQ LOADING
WQ-03	3	21	35	120	2.3	0.0462	PEFILM+ PARTIAL CARTON	1650
WQ-04	4	21	36	140	2.75	0.0554		1200
WQ-05	5	21	37	160	3.2	0.0651		1020
WQ-06	6	21	38	180	3.65	0.0752		845
WQ-07	7	21	39	200	4.1	0.0858		736
WQ-08	8	21	40	220	4.55	0.0968		640
WQ-09	9	21	42	240	5	0.111		618
WQ-10	10	21	44	260	5.5	0.126		520

**MAX
LOAD**

150kgs

**SPACING
BETWEEN
STEPS**

21cm



Dirección: Av Guillermo Dansey 636 A. Cercado de Lima. Lima

Telefono: 01 3707457

998364448

E-mal: tecnomaniobras@gmail.com

ventas@tecnomaniobras.com.pe

Cta. Cte. Soles BCP: 191-2558135 0 46




TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

HOUSEHOLD STEEL LADDER

MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WS-3	3	26	48	110	6.50	0.044	PE FILM+ PARTIAL CARTON
WS-4	4	26	48	137	8.25	0.051	
WS-5	5	26	48	160	9.75	0.059	
WS-6	6	26	48	183	11.25	0.067	

MAX LOAD

150kgs

SPACING BETWEEN STEPS

26cm



Ubicación: Av Guillermo Dansey 636 A. Cercado de Lima. Lima
Teléfono: 01 3707457
998364448

E-mail: tecnomaniobras@gmail.com
ventas@tecnomaniobras.com.pe
Cta. Cte. Soles BCP: 191-2558135 0 46



TECNOMANIOBRAS
IMPORT S.A.C.



BUFFALO AMERICAN LADDERS

EN131



➤ LOW MOQ

➤ ONE YEAR WARRANTY

➤ GOOD QUALITY

➤ FAST DELIVERY

STAINLESS STEEL HOUSEHOLD LADDER


MODEL	STEP NO.	STEP DISTANCE (cm)	LADDER WIDTH (cm)	FULL LENGTH (cm)	WEIGHT/ PC (kg)	CBM/PC	PACKING
WV-03	3	25	48.5	116.5	4.50	0.031	PE FILM+ PARTIAL CARTON
WV-04	4	25	50.5	142	5.50	0.038	
WV-05	5	25	52.5	167.5	6.50	0.047	
WV-06	6	25	54.5	193	7.50	0.056	

MAX LOAD

150kgs

SPACING BETWEEN STEPS

25cm



v Guillermo Dansey 636 A. Cercado de Lima. Lima
01 3707457

E-mal: tecnomaniobras@gmail.com
ventas@tecnomaniobras.com.pe
Cta. Cte. Soles BCP: 191-2558135 0 46